

Print Method

à¹€à,à¹†à,j
à,„à,-à,¥à,±à,jà,™à¹œ

à,„à,§à,²à,jà¹€à,£à¹†à,§à,•à,²à,£à,žà,´à,jà,žà¹œ (cps)

à,šà,±à,ÿà¹€à,ÿà,-à,£à¹œà,-à,´à,™à,žà,„à,•

à,•à,²à,£à,^à,±à,²à,•à,²à,£à,•à,£à,°à,²à,²à,©

à,—à,²à,†à¹€à,²à,´à,™à,•à,£à,°à,²à,²à,©

à,Šà¹^à,-à,†à¹€à,²à,µà,çà,š

MTBF (à,Šà,±à¹^à,§à¹,à,jà,†à,—à,µà¹^à,£à,-à,šà,—à,³à,†à,²à,™
25%)

à,„à,§à,²à,jà,²à,²à,jà,²à,£à,—à,—à,³à,²à,³à¹€à,™à,²

à,-à,²à,çà,„à,•à,²à,£à¹fà,Šà¹%à,†à,²à,™à,«à,±à,§à,žà,´à,jà,žà¹œ

(à,¥à¹%à,²à,™à,•à,±à,§à,-à,±à,•à,©à,£

à,-à,²à,çà,„à,•à,²à,£à¹fà,Šà¹%à,†à,²à,™à,œà¹%à,²à,«à,jà,¶à,•à,²à,³

(à,¥à¹%à,²à,™à,•à,±à,§à,-à,±à,•à,©à,£)

à,•à,²à,£à,£à,±à,šà,²à,£à,°à,•à,±à,™

Impact dot matrix

24

80

à,²à,¹à,†à,-à,¶à,† 440

à,•à,±à,§à,-à,±à,•à,©à,£à,•à¹^à,-à,§à,´à,™à,

à,•à,±à,§à,•à¹^à,-à,™à,´à¹%à,§

128KB

Paper Feeder (CSF): Optional (Single bin, H

Tractor Feeder: Push, Pull

Manual Insertion: Front/Rear in, Top out Pus

Front/Rear in, Top out Pull Tractor: Front/Re

out Cut Sheet Feeder: Front/Rear in, Top ou

Bi-directional parallel / USB (ver 1.1) Option:

2

20000 POH

1 original + 4

400 million strokes/ wire

Approx. 5 million characters

1 Year

Â

Â

Last Update :Â 6/1/2015...(2)

Â

Â

Epson Hotline : 02-685-9899

[à,²à¹^à,† Email](#)

Epson Service :

[à¹€à,žà,-à¹^à,-à,•à,´à,²à,•à¹^à,-à,•à¹^à,²à,çà,šà,£à,´à,•à,²à,£ Epson](#)

[Download Driver à•à²à£à¥à¦à—à°à¹à²à³àµà¶à™à•à²à£à£à±à³à,à£à,°à•à±à™
Online](#)

[Download Driver à¹à¥à,°à,à,¹à¹à,jà,à,-à,œà¥à,à,à,
à±à,à,à¹œ](#)

ï¿½ï¿½ï¿½type=image,ypos=10,width=46.8165,height=8.1995ï¿½ï¿½ï¿½q 132.71 0 0 23.24 28.35 245.31 cm /I2
Do Q

ï¿½ï¿½ï¿½type=image,ypos=10,width=46.8165,height=8.1995ï¿½ï¿½ï¿½q 132.71 0 0 23.24 28.35 188.61 cm /I3
Do Q

ï¿½ï¿½ï¿½type=image,ypos=10,width=46.8165,height=8.1995ï¿½ï¿½ï¿½q 132.71 0 0 23.24 28.35 117.75 cm /I4
Do Q

ï¿½ï¿½ï¿½type=image,ypos=10,width=46.8165,height=8.1995ï¿½ï¿½ï¿½q 132.71 0 0 23.24 28.35 61.05 cm /I5

Do Q

-
ï½ï½ï½type=image,ypos=10,width=46.8165,height=8.1995ï½ï½ï½q 132.71 0 0 23.24 28.35 733.60 cm /16
Do Q

ï½ï½ï½type=image,ypos=10,width=46.8165,height=8.1995ï½ï½ï½q 132.71 0 0 23.24 28.35 676.91 cm /17
Do Q

ï½ï½ï½type=image,ypos=10,width=93.633,height=8.464ï½ï½ï½q 265.42 0 0 23.99 28.35 605.30 cm /18 Do Q

[à, £à, ¢à, ¥à, °à¹€à, -à, µà, çà, "à, œà, ¹à¹%à, à, ¢à, ¢](#)